ROCKY FLATS PLANT **EMD ADMINISTRATION** MANUAL

Manual No.: Procedure No.: 3-21000-ADM

Page:

Table of Contents, Rev 1 1 of 4

Effective Date:

10/18/91

CATEGORY 1

Environmental Management Organization

**FNT TABLE OF CONTENTS

Procedure Nothis is a RED		Rev. No.	Effective <u>Date</u>
01 01	ER Organization		
02 01	Indoctrination and Training		
02 02	Personnel Qualifications	0	8/15/91
02 03	Qualification of Audit Personnel		
03 03	Risk Assessment		
03 04	Control of QAA Development	0	9/23/91
04 01	Procurement Document Control		
05 01	Procedure Development	0	8/02/91
05 02	Development and Control of ARARs		
05 03	RFI/Ri Work Plan Development	0	8/15/91
05 04	QAA Development		
05 05	Document Review	0	8/02/91
05 06	QAPM/PCC Procedure Review		
05 07	Preparation of Procedure Change Notices	1	9/23/91
05 08	Forms Control	0	9/23/91
06 01	Document Control	0	8/02/91
07 01	Control of Purchased Items and Services		
08 01	Control and Identification of Items, Samples, and Data		

ADMIN RECORD

A-SW-000173

ROCKY FLATS PLANT	Manual No.:	3-21000-ADM
EMD ADMINISTRATION	Procedure No.:	Table of Contents, Rev 1
MANUAL	Page:	2 of 4
	Effective Date	10/18/91
CATEGORY 1	Organization	Environmental Management

TABLE OF CONTENTS

	Procedure No.	Title	Rev. No.	Effective <u>Date</u>
	12 01	Control of Measuring and Test Equipment		
	13 01	Handling, Shipping and Storage		
	15 01	Control of Nonconforming Items and Activities	0	9/23/91
	16 01	Corrective Action Reports (CARs)		
	17 01	Records Management		
	18 01	Audits		
,	18 02	Surveillance Activities		
	18 03	Readiness Review	0	8/02/91
	20 01	Invoice Management		
	AQD 01	Response Plan for Denver Metro Air Pollution Episodes		
	AQD 02	Monthly Environmental Monitoring Report		
	AQD 04	Radiation Dose Assessment to the Public from Routine Operations		
	AQD 05	General Emergency Response		
	AQD 06	EIS/ODIS Report		
	AQD 08	Preparation of EPA Form R	1	10/10/91
	SWD 01	Monthly Discharge Monitoring Reports for NPDES		
	SWD 02	Implementation of the Control and Disposition of Incidental Waters		

ROCKY FLATS PLANT EMD ADMINISTRATION MANUAL

Manual No.: Procedure No Page: Effective Date. 3-21000-ADM Table of Contents, Rev 1 3 of 4 10/18/91 Environmental Management

CATEGORY 1

Organization.

TABLE OF CONTENTS

Procedure No.	Title	Rev. No.	Effective <u>Date</u>
SWD 20	Monitoring Audits		
NEPA 01	NEPA M&I Design Review		
NEPA 02	NEPA Compliance Committee		
NEPA 03	Completing a Checklist		
NEPA 04	ADM Development		
NEPA 05	ADM Review		
NEPA 06	Preparing Recommendations to DOE, RFO		
NEPA 07	Drafting Categorical Exclusions for DOE, RFO		
NEPA 08	Environmental Assessment Process		
NEPA 09	Preparation of an Environmental Assessment		
NEPA 10	Preparation of a Mitigation Plan		
NEPA 11	NEPA Records Maintenance		
RPD 01	Work Plan/Sampling Plan - When EPA Approval not Required		
RPD 02	Work Plan/Sampling Plan - When EPA Approval Required		
RPD 03	Documents to be Submitted to the Administrative Record		
RPD 04	How to Prepare Statements of Work		

ROCKY FLATS PLANT EMD ADMINISTRATION MANUAL Manual No.:
Procedure No :
Page:
Effective Date:
Organization

3-21000-ADM
Table of Contents, Rev 1
4 of 4
10/18/91
Environmental Management

CATEGORY 1

TABLE OF CONTENTS

Procedure No.	Title	Rev. No.	Effective <u>Date</u>
RPD 05	Preparing, Processing and Classification of Documents to be Distributed to Outside Agencies		
RPD 06	Preparation of Closure Plans		
RPD 07	Preparation of Technical Evaluations		
RPD 08	How to Establish ARARs		
RPD 10	How to Prepare and Process Milestones		
RPD 11	Tracking Costs and Schedules		
RPD 12	Processing Procurement Documents		
RPD 13	Uniform Requirements for Submission of Plans and Documents by Contractors		
RPD 14	Coordination of Activities with Field Project Management (FPM) and Field Engineering (FE)		
RPD 15	Checklist for the Startup of New Projects		
RPD 16	Standardized Contractor Cost Reporting		
RPD 17	QA Guidelines for Treatability Studies		
RPD 18	QA Guidelines for Health and Safety Treatability Studies		
RPD 19	Cost Guidelines for Submission of Cost Evaluations and Technical Evaluations		
RPD 20	Checklist for Preparing Project Management Plans		

EG&G ROCKY FLATS PLANT EMD ADMINISTRATIVE

Manual: Procedure No.: Page:

3-21000-ADM 03.04, Rev. 0 1 of 16

PROCEDURE MANUAL

Effective Date:

9/23/91

Category This is a CONTROLLED DOCUMENT Proganization:

Environmental Management

TITEGEG - ROCKY FLATS FLANT

ENTROMMENTAL ON ANY AMENT DEPARTMENT Approved By

DEVELOPMENT

4

This is a RED Stamp

rector, Environmental Management

1.0 PURPOSE

The following procedure describes required contents of a Quality Assurance Addenda (QAA) and the relationship of the QAA to other higher level programmatic Quality Assurance documents.

2.0 SCOPE

This procedure applies to the preparation of QAAs for all Work Plans (WP), and to other work at the discretion of the Responsible Division Manager. The procedure describes the method for planning and controlling deviations from the QAPD or QAPjP.

3.0 TERMS/DEFINITIONS

Quality Assurance Addenda (QAA) - A Quality Assurance Addenda is a functional document which serves to supplement the QA Project Plan for CERCLA Remedial Investigation/Feasibility Studies (RI/FS) and RCRA Facility Investigation/Corrective Measure Study (RFI/CMS) activities and other EMD activities. provides the project specific requirements and elaborates on the particular activities to which the QAPD and/or QAPJP applies. The organizations that will be performing the work are identified as well as the applicable EM Department Standard operating procedures. Any deviations from the QAPD and/or QAPjP are also discussed along with a justification for the deviation. Project specific data quality objectives identified in the WP are summarized in the Quality Assurance Addenda. The Quality Assurance Addenda for remediation programs is prepared by the Remediation Programs Division of the EM Department or preparation may be delegated to a subcontractor. Responsible managers may also prepare QAAs for their activities, as needed.

85600086 017

developing QAAs and for reviewing QAAs to ensure that applicable quality assurance/quality control requirements have been addressed. The QAPM shall concur on all QAAs.

- 4.3 Division Quality Coordinator: The Division Quality Coordinator is responsible for supporting the development of Quality Assurance Addenda and reviewing them to verify that they address the requirements contained in this procedure. The Division Quality Coordinator shall concur on QAAs.
- 4.4 Project Manager: The Project Manager is the EG&G EM Department staff member responsible for overseeing the preparation and implementation of the individual WP and the accompanying QAA. The Project Manager has the responsibility for reviewing the QAA for compliance with the content of the work plan. The Project Manager shall concur on all the QAA s developed for the WP for which they are responsible.
- 4.5 QAA Author: The QAA author is responsible for preparing the QAA in accordance with the format and content requirements contained in this procedure and submitting the QAA for appropriate review and approval.

5.0 PROCEDURE

- 5.1 Planned deviations, including omissions and additions, to the controls specified in the QAPD and/or QAPJP shall be documented, reviewed, approved, and issued as QAAs for specific projects, such as OU WPs.
- A QAA shall be prepared for <u>each</u> WP generated for RI/FS and RFI/CMS activities related to the Interagency Agreement between the U.S. DOE, EPA, and CDH. QAAs may be prepared for other, non-IAG activities as necessary. QAAs shall be developed, reviewed, and approved in accordance with this procedure prior to work progressing past the planning stage. QAAs shall also be prepared for other EMD activities, where the responsible manager determines they are necessary.

NOTE

The QAA development is typically initiated once the final technical draft of the WP has been developed.

EGIG ROCKY FLATS PLANT

EMD ADMINISTRATIVE

PROCEDURE MANUAL

Page:

Effective Date:

Organization:

Solution:

3-21000-ADM

03.04, Rev. 0

9/23/91

Category 1

Organization:

Environmental Management

5.5 Organization and Content

The QAA shall be broken down into the same 19 sections as the QAPjP, preceded by an introduction and scope statement. These sections are:

Introduction and Scope Statement

- 1. Organization and Responsibilities
- 2. Quality Assurance Program
- 3. Design Control and Control of Scientific Investigations
- 4. Procurement Document Control
- 5. Instructions, Procedures, and Drawings
- 6. Document Control
- 7. Control of Purchased Items and Services
- 8. Identification and Control of Items, Samples, and Data
- 9. Control of Process
- 10. Inspection
- 11. Test Control
- 12. Control of Measuring and Test Equipment
- 13. Handling, Storage, and Shipping
- 14. Status of Inspection, Test and Operations
- 15. Control of Nonconformances
- 16. Corrective Actions
- 17. Quality Assurance Records
- 18. Quality Verification
- 19. Software

Appendix A - Analytical Methods, Detection
Limits, and Data Quality Objectives

Redundant inclusion of text already specified in the QAPD and/or QAPjP is prohibited in the QAA unless it is identified below. Justification shall accompany each deviation from the QAPD and/or QAPjP. If no information is needed in a section then indicate "No Change to QAPjP" or similar wording. If this QAA is not related to the QAPjP then reference the QAPD rather than the QAPjP.

- 5.5.1 Introduction and Scope Statement
 - 5.5.5.1 The QAA shall accompany the WP so the introduction and scope may be very brief.

EG&G ROCKY FLATS PLANT
EMD ADMINISTRATIVE
PROCEDURE MANUAL
Page:
Effective Date:
Organization:

3-21000-ADM
03.04, Rev. 0
9/23/91
Category 1
Organization:
Environmental Management

Analytical Procedures - In this subsection of the QAA the appropriate analytical protocols shall be referenced, as applicable to the task. The protocols should be discussed in Section 3 and listed in Appendix A (see Attachment 4). If the analytical methods are already addressed in the WP, they may be incorporated in the QAA by reference.

5.5.3.3 <u>Sampling Procedures</u>

Sampling procedures, sample identification, and chain-of-custody requirements shall be identified here by referencing the appropriate operating procedures. The procedures should be presented in Section 3 in a matrix format (see Attachment 5). Frequencies for QC samples/checks shall be included in the QAA. A typical sample frequency/QC table is illustrated in Attachment 6 from Section 3. Appropriate sample handling requirements should also be included or a reference to the applicable section of the QAPjP specified. Handling requirements would be discussed in Section 8 and typically address holding times, preservation methods, containers, and possibly sample size (see Attachment 7).

5.6 Review and Approval of QAAs

- 5.6.1 Review the QAA per 3-21000-ADM-05.05, "Document Review" at the direction of the Responsible Division Manager.
- 5.6.2 Reviewers shall include the Responsible Division Manager, NEPA Manager, Responsible Project Manager, Responsible Division Quality Coordinator, QAPM, and other affected organizations as specified by the Responsible Division Manager.

egeg rocky flats plant	Manual:	3-21000-ADM
EMD ADMINISTRATIVE	Procedure No.:	03.04, Rev. 0
PROCEDURE MANUAL	Page:	9 of 16
	Effective Date:	9/23/91
Category 1	Organization:	Environmental Management

- 6.2 Final Environmental Restoration Inter-Agency Agreement, August 17, 1990.
- 6.3 3-21000-ADM-05.05, Document Review.
- 6.4 3-21000-ADM-06.01, Document Control.
- 6.5 3-21000-ADM-17.01, Quality Assurance Records.

7.0 ATTACHMENTS

Attachment 1 - QAA Page Header

Attachment 2 - QAA Title Page

Attachment 3 - Example Organization Chart

Attachment 4 - Example Analytical Methods and DQO's

Attachment 5 - Example Procedure Matrix Format

Attachment 6 - Example QC Sample Collection/Check Frequency

Attachment 7 - Example Format for Sample Containers, Sample Preservation, and Holding Times

EGEG ROCKY FLATS PLANT EMD ADMINISTRATIVE PROCEDURE MANUAL

Manual: Procedure No.: Page: 3-21000-ADM 03.04, Rev. 0 11 of 16 9/23/91

Category 1

Effective Date: Organization:

Environmental Management

ATTACHMENT 2

QAA TITLE PAGE

QUALITY ASSURANCE ADDENDUM

QAA 1.1 Revision 0

to the

ROCKY FLATS SITE-WIDE QA PROJECT PLAN

FOR CERCLA RI/FS AND RCRA RFI/CMS ACTIVITIES

for

OPERABLE UNIT NO. 1, 881 HILLSIDE AREA

PHASE III RFI/RI

U S DEPARTMENT OF ENERGY Rocky Flats Plant Golden, Colorado

Revision 0

FEBRUARY, 1991

STORESTOR CLASSIFICATION HOME

BY BETTER # Setler

F/2/01 UN UL

EG&G ROCKY FLATS PLANT EMD ADMINISTRATIVE

Manual: Procedure No.:

3-21000-ADM 03.04, Rev. 0

PROCEDURE MANUAL

Page:

13 of 16 9/23/91

Category 1

Effective Date:

Organization: Environmental Management

ANALYTICAL METHODS, DETECTION LIMITS, AND DATA QUALITY OBJECTIVES ANALYTICAL METHODS, DETECTION LIMITS, AND DATA QUALITY OBJECTIVES By Statement of the state	ANALYTICAL METHODS, DETECTION LIMITS, AND DATA QUALITY OBJECTIVES ANALYTICAL METHODS, DETECTION LIMITS, AND DATA QUALITY OBJECTIVES 111 Supported to the late of	ANALYTICAL METHODS, DETECTION LIMITS, AND DATA QUALITY OBJECTIVES ANALYTICAL METHODS, DETECTION LIMITS, AND DATA QUALITY OBJECTIVES 11 Supported to 160 2		Quality Assurance Project Plan					Nettai Issue No Page Effective Date		21100 PR CLOZ 1 QAA 2 1, Rev 0 29 of 38 July 16, 1991
Secreted Estated Estat	State Stat			AL METHODS, (DETECTI	ON LIMITS	S, AND	DATA QUA	NLITY OBJEC	TIVES	
Supercled	State Stat	State Stat	Amirie	Ped the	3 21	1	93	Required Det	ection Limits Soil/Sed	Precision Objective	Accuracy Objective
10 mg/L M	State Stat	State Stat	2								
Solidate	Solidation Sol	Solids	Total Suspended	EPA 160 2"	" <u>*</u>			10 10/1	NA NA	20%	80 120X 1CS
See A 150 1" X" X" X X X X X X X	See Analyze List Metals	Continue	Solids Total Dissolved	EPA 160 1*	'n	ž		1/8w S	¥	20%PP0	Be 120% LCS
A continue	A	Attains	**************************************	EPA 150 1*	7	**		O 1 pt caits	0 1 pH units	¥	±0 05 p# units
Attained test Netals A	Attainan EPA ELP SOUT	Attainmy	8								
Attaina EPA CLP SOM Antimory E	Altunium EPA CIP SOL' Antimory Aratimory Beritim Beriti (67A) Beritim Beritim Beriti (67A) Beritim Beritim Beriti (67A) Beritim	Attunina Et City SOUT			4		×			HATER/SOIL	WATER/SOIL
Arabilization (SEAA) EPA CIP SOUT (SEAA) EPA C	Arrentic (GAA) Arrentic (GAA) Beryllium Beryllium Ber Cip Sour Cochilium Cochilium		Alumina	3				200 ug/L	40 mg/Kg*	:	:
Bartina EFA CLP SQU' 200 40 40	Barius EPA CIP SOUT 500 40 Cadellus EPA CIP SOUT 500 2000 Cadellus EPA CIP SOUT 500 2000 Cadellus EPA CIP SOUT 500 2000 Copper Copper EPA CIP SOUT 500 10 Copper Copper EPA CIP SOUT 500 10 Copper Copper EPA CIP SOUT 500 10 Cyulda EPA CIP SOUT 500 2000 Magnesius EPA CIP SOUT 500 2000 Mittel PA CIP SOUT 500 2000 Magnesius EPA CIP SOUT 500 2000 Magnesius	Baryllium EPA CIP SON" 500 40 Codelium EPA CIP SON" 5 10 Codelium EPA CIP SON" 500 2000 Codelium EPA CIP SON" 500 2000 Codelium EPA CIP SON" 500 10 Codelium EPA CIP SON" 50 10 Nagaresium EPA CIP SON" 50 10 Nagaresium EPA CIP SON" 50 2000 Sedemium (GFAA) EPA CIP SON" 50 2000 Sedemium (GFAA) EPA CIP SON" 50 2000 Nagaresium EPA CIP SON" 50 2000 Sedemium (GFAA) EPA CIP SON" 50 2000 Nagaresium EPA CIP SON" 50 20 20 2000 Nagaresium EPA CIP SON" 50 20 20 20 20 20 20 20 20 20 20 20 20 20	Antimony Argenic (GFAA)					3 2	<u> </u>		
Servition SPA CLP SOUR S	Code	Servitium Eth CLP SON' S 10	Brita	EPA CLP SOL				500	9		
Cabelian EPA CLP SOUT 5000 2000 Chronium EPA CLP SOUT 5000 2000 Chronium EPA CLP SOUT 5000 2000 Chronium EPA CLP SOUT 50 10 2 0 10 Copper EPA CLP SOUT 50 50 10 2 0 10 Copper EPA CLP SOUT 50 50 50 50 50 50 50 50 50 50 50 50 50	Code	Cachina	Beryllium	3				.	o (
Cobalt Chrosius EPA CIP SQU' 10 2 0 10 10 10 10 10 1	Chair Chair Era Cip Sour Sour Sour Sour Sour Sour Sour Sour	Chair EPA CIP SOUT 50 10 2 0 10 Cobait EPA CIP SOUT 50 10 10 10 10 10 10 10 10 10 10 10 10 10		8 8				2000	500		
Cobalt EFA CIP SOUT 25 10	Copper EPA CLP SOUT 25 10	Cobet EPA CIP SOUT 25 10	Chronium	3				2	2.0		
Copper Copper Copper Copper I con I con	Compared to the control of the contr	Cyper Et 335 (modified for CLP) 5 10	Cobelt	5				S ×	9 9		
	i on EPA CLP SCA" 100 ug/l 20 mg/kg 10 100 ug/l 20 mg/kg 10 10 10 10 10 10 10 1	i'on EPA CLP SOM' 100 ug/l' 20 mg/kg' 10 tead (GFA) EPA CLP SOM' 3 1 1 1 1 1 1 1 1 1	Cyanide	EPA 335 3 (mc	difted for	(41)			. 2		
Leed (GFA) EPA CLP SOUTH	Leed (GFA) EPA CLP SOUTH Standard St		87	EPA CLP SOL				100 mg/r	20 mg/Kg*	:	:
Hanganiese	Hanganiese	Hanganiese	Lead (GFAA) Magnesium	EPA CLP SOL				5000	2000		
Mercury (CVAA) REPA CLP SON Foliasium Sepa CLP SON Selection Sepa CLP SON Selection Selection Selection Sepa CLP SON Selection Selection Sepa Class Selection Sepa Class Selection Sepa Class Selection Selection Sepa Class Sep	Hercury (CVAA) EPA CLP SOV	Mercury (CVAA) EPA CLP SOV 40 40 40 40 40 40 40 4	Manganese	3				15	3.0		
ina (GFAX) EPA CIP EPA CIP EPA CIP EPA CIP EPA CIP Solve EPA CIP Solve	Potessian EPA CIP 5 Salestian (GFAX) EPA CIP 5 Salestian (GFAX) EPA CIP 6 Solian (GFAX) EPA CIP 6 That time (GFAX) E. E. F.	Potestian EPA CLP 5 Selection (GFA) EPA CLP 5 Silver sodium (GFA) EPA CLP 5 Sodium (GFA) EPA CLP 5 Vendium (GFA) EPA CLP 5 Sodium Sepa CLP 5 Sodium Sep CLP 5	Hercury (CVAA)	100				2 0 5	~ •		
	terium (cf.AA) Ety C C C C C C C C C C C C C C C C C C C	thou (of As) Bry Co Soo Soo Soo Soo Soo Soo Soo Soo Soo		3 8	(9005	9002		
E CG(AL) E C CG(AL) S CG CG(AL) S CG	10 10 10 10 10 10 10 10	Allan (GFA) EPA (OC) 100 at the GFA) EPA (OC)	Setenium (GFAA)	EPA CIP	(0 -		
SS	altina (67A1) E. (2) 10 10 10 10 10 10 10 10 10 10 10 10 10	attica (67A) Ep. (9) Solution (67A) Ep. (9) Solution (67A) Ep. (9) Solution (67A) Solution (67A)	Silver	C V V	<u>)</u>			9	0 ~		
es Company	nadius Epa So	So State Sta	Sodium That I for Access	<u>2</u>				5005 61	00 2		
			Venedium) ` : š		(2	. 2		
						Ś					

EG&G ROCKY FLATS PLANT EMD ADMINISTRATIVE PROCEDURE MANUAL Manual: Procedure No.: Page: 3-21000-ADM 03.04, Rev. 0 15 of 16 9/23/91

Category 1

Effective Date:

Organization: Environmental Management


ATTACHMENT 6 EXAMPLE QC SAMPLE COLLECTION/CHECK FREQUENCY

TABLE 2 FIELD QC SAMPLE COLLECTION FREQUENCY

	Activity	Frequency
	Field Duplicate	1 in 201
	Field Preservation Blanks ²	1 sample per shipping container (or a minimum of 1 per 20 samples)
	Trip Blank ³	1 in 20
	Equipment Rinsate Blank	1 in 20°, or 1 per day
	Drilling and Decontamination Fluids	Sample source and analyze for all analytes of interest prior to use
	Triplicate Samples (benthic samples)	For each sampling site
		SAMPIG
1	Or per sampling event, whichever is more frequent.	ISE
2	For groundwater samples to be enalyzed for inorganics.	_
3	For groundwater samples to be enalyzed for valeble organ	ICE enly

One equipment misses blank in twenty samples, or one per day whichever is more frequent for each specific

sample metrix being collected when non-dedicated equipment is being used



EG&G ROCKY FLATS PLANT EMD ADMINISTRATIVE

Manual: Procedure No.:

3-21000-ADM 05.07, Rev 1

PROCEDURES MANUAL

Page:

1 of 9

Category 1

:/Effective Date:

9/23/91

Organization: Environmental Management

PREPARATION OF DOCUMENT CHANGE NOTICE

Approved By:

nvironmental Management

1.0 PURPOSE

This procedure describes the process for issuance of urgent or temporary changes to EMD procedures, Workplans (WPs), and Quality Assurance Amendments (QAAs) and other work instruction documents.

2.0 SCOPE

This procedure must be invoked when the Responsible Manager determines a procedure must be changed immediately. procedure specifies the required steps for developing and issuing DCNs for all EMD procedures, WPs, QAAs, and other instruction documents within the Environmental Management Department (EMD). This procedure may be initiated by any EMD or subcontractor personnel. Forms specified in this procedure maybe superseded by upper level procedures for some procedures or documents.

3.0 TERMS/DEFINITIONS

- 3.1 DCC - The Document Control Coordinator (DCC) is responsible for management of records addressed in 3-21000-ADM-06.01, Records Management.
- 3.2 **E&WM** - Environmental and Waste Management Operation
- 3.3 EMD - Environmental Management Department
- 3.4 PA - Performance Assurance Operation
- 3.5 DCN - A form for making a temporary or urgent change to a work instruction document (See Attachment 1 and 2).

TOR CLASSIFICATION

85600130.014

egeg rocky flats plant	Manual:	3-21000-ADM
EMD ADMINISTRATIVE	Procedure No.:	05.07, Rev 1
PROCEDURES MANUAL	Page:	3 of 9
	Effective Date:	9/23/91
Category 1	Organization: Environme	ental Management

- 1. Record the procedure name, number, revision, effective date, the current date, and the page number on the DCN forms.
- 2. Document DCN revision type and expiration date.
 - a. If this is a temporary change, the date the change expires is recorded on the form. The date shall be within 90 days of the issuance date and must be recorded on the "Expires" line. Periods greater than 90 days for temporary procedures require authorization of the QAPM. Typically this extend period applies to limited scope DCNs.

Check the block indicating that a procedure revision is not required.

b. If this is not a temporary change, record the date 90 days from the current date on the "Expires Line."

Check the block indicating that a procedure revision is required.

EGEG ROCKY FLATS PLANT

EMD ADMINISTRATIVE

PROCEDURES MANUAL

Page:

Effective Date:

Organization: Environmental Management

5.1.3 Arrange for review of the DCN by the Responsible Manager, the QAPM, and any others designated by the Responsible Manager.

NOTE

This review may be in writing, by verbal communication, or other expeditious means.

- 5.1.4 Comment disputes may be resolved by the Responsible Manager.
- 5.1.5 Obtain concurrence with this DCN from individuals specified by the Responsible Manager, and have them document their concurrence by initialing as "Others" on the DCN. This may be done verbally, if required, and documented as such.
- 5.1.6 Obtain concurrence of QAPM or designee with this DCN, by having the QAPM or designee initial and date the DCN. This may be done verbally, if required, and documented. If done verbally, identify individual who provided the QAPM concurrence, specify concurrence was verbal, then sign and date in the concurrence block.
- 5.1.7 Obtain the Responsible Manager's approval of this DCN by having the Responsible Manager or designee sign and date the DCN.

EGEG ROCKY FLATS PLANT	Manual:	3-21000-ADM
EMD ADMINISTRATIVE	Procedure No.:	05.07, Rev 1
PROCEDURES MANUAL	Page:	7 of 9
	Effective Date:	9/23/91
Category 1	Organization: Environmen	ntal Management

5.2.2 The required reviewers for this DCN include the responsible manager, QAPM, and other effected organizations.

6.0 REFERENCES

- 6.1 E&WM Administrative Procedures Manual, Procedures 2-20000-ADM-05.01 and 2-20000-ADM-05.02
- 6.2 EMD Administrative Procedures Manual, 3-21000-ADM-06.01, Document Control procedure
- 6.3 EMD Administrative Procedures Manual, 3-21000-ADM-17.01, Records Management procedure
- 6.4 EMD Administrative Procedures Manual, 3-21000-ADM-05.06, QAPM Management Procedure Review Process
- 6.5 EMD Administrative Procedures Manual, 3-21000-ADM-05.03, RFI/RI Work Plan Development
- 6.6 EMD Administrative Procedures Manual, 3-21000-ADM-05.09, EMD Work Plan Development

7.0 ATTACHMENTS

- 1. Document Change Notice (DCN)
- 2. EM Document Change Notice Continuation Sheet

EG&G ROCKY FLATS PLANT EMD ADMINISTRATIVE PROCEDURES MANUAL Manual: Procedure No.: 3-21000-ADM 05.07, Rev 1

Page:

Effective Date:

9 of 9 9/23/91

Category 1

Organization: Environmental Management

ATTACHMENT 2 EM Document Change Notice Continuation Sheet

DOCUMENT CHANGE NOTICE (DCN) (Continuation Sheet)

Page ___ of ___

Scope Lin	M (4000.		
tem Number	Page	Step or Paragraph	Changes (Use DCN CONTINUATION SHEET for additional space)
isti ficatio	n (Resso	a for change	- Provide numbers to reference corresponding items above)



FORMS CONTROL

EGEG ROCKY FLATS PLANT EMD ADMINISTRATIVE

Manual Number: Procedure No.

3-21000-ADM 05.08, Rev 0

Page: Effective Date:

1 of 4 9/23/91

CATEGORY 1

Organization: ENVIRONMENTAL MANAGEMENT

Title:

EGSC - J FINE PENS MUNDEROVED BY: FORMS CONTROL

ector, Environmental Management Date

1.0 PURPOSE

The purpose of this procedure is to facilitate approval and distribution of Environmental Management Department (EMD) procedure forms.

2.0 SCOPE

This procedure applies to all EMD procedure forms.

3.0 **DEFINITIONS**

3.1 Mark Up

Mark up is the draft form with hand-written changes as necessary to produce a document consistent with the review and approval process.

RESPONSIBILITIES

- 4.1 Quality Assurance Program Manager (OAPM) reviews and approves forms; then assures that these forms are distributed to all users of EMD procedures.
- 4.2 Quality Assurance Coordinator (QAC) submits forms for revision per the direction of the responsible manager and resolves comments on forms with the QAPM.
- 4.3 Responsible Manager arranges for revision of forms required to implement the procedures for which the manager is responsible. Addresses changes in forms requested by users. Directs the QAC to submit revised forms to the QAPM for review and approval.
- EMD Personnel use current forms for all EMD activities. Also, EMD personnel are responsible for submitting new or revised forms for review, approval, and controlled distribution. EMD personnel submit the new or revised forms to the QAPM through the Responsible Manager.

856D0133.006

FORMS CONTROL

egeg rocky flats plant	Manual Number:	3-21000-ADM
EMD ADMINISTRATIVE	Procedure No.	05.08, Rev 0
	Page:	3 of 4
	Effective Date:	9/23/91
CATEGORY 1	Organization:	ENVIRONMENTAL MANAGEMENT

- 5.4.7 The approved forms are then distributed, along with the applicable updated index, to all affected personnel, in accordance with 3-21000-ADM-06.01, Document Control.
- 5.5 All completed forms and the concurrence form with the attached mark up are quality assurance records subject to 3-21000-ADM-17.01, Records Management.

6.0 REFERENCES

- 6.1 EMD Procedure 3-21000-ADM-06.01, Document Control.
- 6.2 EMD Procedure 3-21000-ADM-17.01, Records Management.
- 6.3 EMD Procedure 3-21000-ADM-18.01, Surveillance.

7.0 ATTACHMENTS

Attachment 1 -- Controlled Document Concurrence Form

1				
1				
I				
	•		•	
ı				

EG&G ROCKY FLATS PLANT EM ADMINISTRATIVE Manual: Procedure No.:

3-21000-ADM 15.01, Rev. 0

PROCEDURE MANUAL

Page: Effective Date:

1 of 18 9/23/91

Category 1 Property Organization: Environmental Management

Him to the Approved By:

TITLE:

CONTROL OF NONCONFORMING ITEMS

AND ACTIVITIES

Energy 9/23/91

Environmental Management

1.0 PURPOSE

To provide the methods and controls necessary for the reporting, documentation, evaluation, and disposition of items found to not be in conformance with specifications, requirements, prevailing practices, procedures, and standards. These measures are necessary to prevent the inadvertent installation or use of items that are questionable or unusable for Environmental Management (EM) Program activities.

2.0 SCOPE

This procedure applies to all nonconforming items associated with activities performed by EM Department and contractor/supplier personnel in support of EM activities.

3.0 TERMS/DEFINITIONS

- 3.1 Activity An aspect of work, service, operation, condition, or process which impacts quality, safety, or the environment.
- 3.2 Amended Response A change to the disposition that is intended to replace the original disposition or any portion thereof.
- 3.3 Conditional Release An interim disposition that authorizes a process or activity to continue even though a nonconforming condition has been identified.
- 3.4 Disposition The action taken to resolve a nonconforming condition or item and to restore acceptable conditions.
- 3.5 Items Equipment, supplies, or data which impacts quality, safety, or the environment.
- 3.6 NCR Nonconformance Report

TEMENTED FOR CLASSIFICATION

No Abdulation

Date 900+91 900+001 -

85600047 016

EGEG ROCKY FLATS PLANT

EM ADMINISTRATIVE

PROCEDURE MANUAL

Page:

Effective Date:

Organization: Environmental Management

- 4.1 The EM Department Director, or delegate, is responsible for coordinating with the EM Quality Assurance Program Manager (QAPM) to assure Nonconformance Reports (NCRs) are properly reviewed and resolved.
- 4.2 The EM QAPM, or delegate, is responsible for:
 - 1. Coordinating and processing NCRs including tracking and monitoring NCRs, coordinating the use of status tags and conditional releases, assigning disposition responsibilities, evaluating the proposed dispositions for all NCRs, preparing NCR files, and verifying disposition implementation.
 - 2. Designates the EM Department NCR Validator.
 - 3. Designates the EM Department NCR Coordinator.
- 4.3 EM Department and Contractor/Supplier Personnel are responsible for:
 - 1. Initiating NCRs in accordance with this procedure.
 - 2. Providing dispositions.
 - 3. Implementing dispositions that are authorized by approved procedures and have been assigned by the EM QAPM.
- 4.4 The EM NCR Coordinator is responsible for:
 - 1. Maintaining an NCR data base and filing system for in-process original NCRs.
 - 2. Assigning a unique NCR tracking number to each validated NCR.
 - 3. Providing issuance of validated NCRs and distribution of copies to the affected organizations.
 - Coordinating and tracking the processing of NCRs.
 - 5. Issuing the dispositioned NCR to the organization responsible for implementing the disposition.

EGEG ROCKY FLATS PLANT EM ADMINISTRATIVE PROCEDURE MANUAL

Manual: Procedure No.: Page: Effective Date:

Management.

3-21000-ADM 15.01, Rev. 0 5 of 18 9/23/91 Organization: Environmental Management

Category 1

5.2.2.1 If the NCR is determined to be invalid, the Validator will contact the initiator to discuss the reasons. Following discussion, if the NCR is still determined to be invalid, it shall be returned to the initiator and no further action is taken. A copy of the invalidated NCR shall be retained in the NCR master file and transmitted to EMD record center per 3-21000-ADM-17.01, Records

- 5.2.2.2 If the NCR is found to be valid, it shall be forwarded to the EM NCR Coordinator for number assignment, logging, and transmittal to the affected organizations responsible for disposition of the nonconformance and a copy will be forwarded to EMD record Center.
- 5.2.2.3 Valid NCRs shall be entered in the Nonconformance Report Log (Attachment 3) by the QA NCR Coordinator. The NCR number shall take the form of EM NCR-XX-YY, where XX is the current fiscal year and YY is a sequential number starting with 01. All columns of the log shall be filled out for validated NCRs.
- 5.2.2.4 Following validation, the EM QAPM directs the appropriate EM Department Quality Coordinator to apply NCR Status Tags (Attachment 4).
- 5.3 Identification and Segregation of Nonconforming Items:

Nonconforming items shall be uniquely identified and/or segregated in accordance with the following provisions, unless exempted by the EM QAPM or delegate. The marking or segregation shall not adversely affect the end use of the item.

EG&G ROCKY FLATS PLANT

EM ADMINISTRATIVE

PROCEDURE MANUAL

Page:

Effective Date:

Organization:

Environmental Management

note the exemption with an explanation on the NCR.

5.4 Conditional Release

A Conditional Release, if requested by the responsible manager, shall be approved by the EM QAPM to allow continuation of an activity or work after consideration of the following conditions, and with justification documented in a conditional release report.

- 5.4.1 The following conditions will be considered for the proposed conditional release and a justification or explanation shall be documented in a memo from the QAPM authorizing Conditional Release Request:
 - The nonconforming item can be removed or corrected at a later date without change, damage, or contamination of the associated data, item, condition, equipment, structures, service, material, or activity.
 - 2. The nonconforming item remains accessible for examination.
 - 3. The nonconforming item is evaluated, and limitation(s) for use of the equipment or system is established.
 - 4. Traceability and identification of the nonconforming item are maintained.
- 5.4.2 The Conditional Release Request memo from the responsible manager will be referenced in or included with the NCR.

5.5 Disposition of NCRs

The EM QAPM shall coordinate with the EM Division Managers to assign personnel to provide a proposed disposition for the NCR within 30 calendar days. This assignment shall be recorded on the NCR, and the NCR shall be forwarded to the assigned personnel for disposition. These personnel shall have access to pertinent background information.

EGEG ROCKY FLATS PLANT	Manual:	3-21000-ADM
EM ADMINISTRATIVE	Procedure No.:	15.01, Rev. 0
PROCEDURE MANUAL	Page:	9 of 18
	Effective Date:	9/23/91
Category 1	Organization: Environm	ental Management

- 9. If a conditional release has been requested, the justification has been documented and properly approved.
- 10. Internal interfaces between organizational units and external interfaces between Project participants necessary for executing actions are described.
- 5.5.2 The NCR shall be forwarded (by the QA NCR Coordinator) to the cognizant personnel or Division Manager for review and approval of the proposed disposition.
- 5.5.3 The NCR shall then be forwarded to the EM QAPM for review and approval to ensure that appropriate QA requirements have been included. The EM QAPM or delegate shall ensure that the information identified in Paragraph 5.5.1 has been included or considered in the disposition.
- 5.5.4 Upon approval, the EM QAPM or delegate, shall forward all NCRs to the personnel responsible for implementation of the dispositions. Copies shall be distributed to the EM Department Director and the cognizant EM Division Managers, as a minimum.

5.6 Implementation of Disposition Actions

Assigned personnel shall implement the dispositions by the completion date as identified in the NCR disposition.

- When additional time is needed to complete actions, the assigned personnel shall provide written notification to the EM QAPM of the adjusted completion date with an explanation of the delay. This extension request shall be submitted on or before the scheduled due date.
- 5.6.2 When changes to the disposition are needed, the assigned personnel shall provide written notification to the EM QAPM.

EGEG ROCKY FLATS PLANT EM ADMINISTRATIVE PROCEDURE MANUAL Manual:
Procedure No.:
Page:
Effective Date:

3-21000-ADM 15.01, Rev. 0 11 of 18 9/23/91

Category 1

Organization: Environmental Management

initiator, FQA, and the supplier/contractor, as a minimum. The EM QAPM or delegate shall update the NCR Log and shall notify responsible personnel to update the NCR Status Tag accordingly.

5.7.3 If verification of the disposition and related records is acceptable, the EM QAPM or delegate shall sign and date the NCR and reference the applicable surveillance or special investigative review. Copies of closed NCRs shall be distributed to the initiator, FQA, and the EM Department Director, as a minimum. The EM QAPM or delegate shall notify responsible personnel to remove the NCR Status Tag.

5.8 Records Management

5.8.1 Controlled Documents

None.

5.8.2 Records Center Documents: Records associated with this procedure shall be submitted to the EMD records center in accordance with procedure number 3-21000-ADM, 17.01, Records Management, as identified below:

Nonconformance Report (NCR) Package:

- a. Closed NCRs with supporting documents
- Voided NCRs with supporting documents, if appropriate
- c. Conditional Release Request and authorization memos
- d. Completed NCR Logs

6.0 REFERENCES

- 6.1 Superseded Documents: None.
- 6.2 References Cited:

EM Department Administrative Procedure 1-10000-ADM, 15.03, Control of Nonconforming Items.

EGEG ROCKY FLATS PLANT EM ADMINISTRATIVE PROCEDURE MANUAL

Manual:
Procedure No.:

Page: Effective Date: 3-21000-ADM 15.01, Rev. 0 13 of 18 9/23/91

Category 1 Ord

Organization: Environmental Management

ATTACHMENT 1

NONCONFORMANCE REPORT FORM

NONCONFORMANCE REPORT

ENVIRONMENT	ROCKY FLATS AL MANAGEME RTMENT	QA V <i>T</i> AU	R No L TH # DJ NCR No	PAGE		OF
PROJECT	_					
ISSUED BY	Name	Title	Organi		DATE	
INITIAL DISTRIBUTION	DEPT MGR	EM GAPM	PROJ MCR	CONTRACTOR		
DISPOSITION	USE AS IS	REPAIR	REWORK	REJECT	AS BUILT !	REQUIRED
DISPOSITION APPR	ROVALS	DATE DATE			DATE	
FINAL DISTRIBUTION	DEPT MGR	EM QAPM	PROJ MGR.	CONTRACTOR	HAS SITE OA	EM RECORDS

EG&G ROCKY FLATS PLANT
EM ADMINISTRATIVE
PROCEDURE MANUAL

Manual:
Procedure No.:
Page:
Effective Date:

3-21000-ADM 15.01, Rev. 0 15 of 18 9/23/91

Category 1

Organization: Environmental Management

ATTACHMENT 2 (continued)

NCR INSTRUCTION SHEET

- 11. Dwg(s). Initiator enters the drawing numbers and respective revisions which describe the feature of the item found to be nonconforming.
- 12. Spec./STD(S) Initiator enters the specification or standard, including revision, which details the feature of the item found to be nonconforming.
- 13. NCR Type Completed by the EM QAPM by entering an "X" in the appropriate box after the word which describes the NCR type.
- 14. Item Initiator enters the description of the item for which the nonconformance has been identified.
- 15. Location Initiator enters a description of the physical location within the building or area where the nonconforming item can be found.
- 16. Nonconformance Description Completed by Initiator by identifying in detail a description of the specific nonconformance. Include specific paragraphs of standards or specifications, drawing details, dates, and other data which specifically outlines the requirements violated by the condition. Essentially, state what the existing condition is and what the requirement documents state the condition should be. Complete the report by section. This section will also include reference to the Resumption Indication Number (RIN) and the corresponding Work Breakdown Structure (WBS) if applicable.
- 17. Operability/Safety Assessment Completed by the CEO as applicable based on the result of the Operability/Safety Assessment. This block may be N/A'd by the EM QAPM if the item has not been associated with an operating system.
- 18. Operations/Functional Manager Notification Completed by the CEO as applicable based on the result of the Operability/Safety Assessment. This block may be N/A'd by the EM QAPM if not applicable.

EGEG ROCKY FLATS PLANT
EM ADMINISTRATIVE
PROCEDURE MANUAL
Page

Manual: Procedure No.: Page: 3-21000-ADM 15.01, Rev. 0 17 of 18 9/23/91

Category 1

Effective Date:

Organization: Environmental Management

ATTACHMENT 3

NONCONFORMANCE REPORT LOG

DATE CLOSED												:
STATUS							į					
DESCRIPTION												
RESPONSIBLE ORGANIZATION									-			
PREPARED BY												
NUMBER EM NCR												
DATE												

The Control of the Co

BADON

PREPARATION OF EPA FORM R

EGEG ROCKY FLATS PLANT EMD ADMINISTRATIVE

Manual: Procedure No.: Page:

3-21000-ADK AQD.08, Rev 1

PROCEDURES MANUAL

1 of 17

Effective Date:

10/10/91

Category 1

This is a

ORITIE:
PREPARATION OF EPA RITIE: FORM R

Organization: Environmental Management

Approved By:

ENVIRO

ENTER WINENT

Environmental Management

This is a RED Stamp

1.0 PURPOSE

The purpose of this procedure is to specify a method for the Chemical Tracking and Control Systems Group of the Air Quality and Chemical Tracking Division to accurately complete the Environmental Protection Agency (EPA) Form R report (Attachment 1) required under the Superfund Amendments and Reauthorization Act Title III, Section 313, of 1986.

2.0 SCOPE

This procedure covers the retrieval of pertinent data for the EPA Form R report from existing information sources at the Rocky Flats Plant (RFP), the peer review of the material, and the final compilation of the EPA Form R report.

3.0 TERMS/DEFINITIONS

3.1 **APEN**

Air Pollution Emission Notice is the mechanism that allows the Colorado Department of Health to track air pollution sources, determine their environmental impact, and issue appropriate air emission permits. APENs were prepared for approximately 110 buildings on the site that have the potential for chemical emissions.

3.2 AOCTD

Air Quality and Chemical Tracking Division.

3.3 CCS

Chemical Control System is a program consisting of computerized tracking and administrative controls that oversees the planned parenthood to grave movement of

"REVIEWED FOR CLASSIFICATI.

1400191 96f UNI

85600137.004

PREPARATION OF EPA FORM R

EGEG ROCKY FLATS PLANT

EMD ADMINISTRATIVE

PROCEDURES MANUAL

Page:

Effective Date:

Category 1

Manual:

3-21000-ADM

AQD.08, Rev 1

Page:

2 of 17

Effective Date:

10/10/91

chemicals at RFP. The CCS is maintained by the Chemical Tracking and Control Systems group of AQCTD with support from Health and Safety, Information Resources, Waste Programs, and production managers.

3.4 CCS DATABASE

CCS database is the ORACLE computer program on the RFP unclassified VAX that consists of a container-based chemical identification and tracking module and an electronic material safety data sheet module.

3.5 CFR

Code of Federal Regulations.

3.6 CONTACT PERSON

A Rocky Flats employee who could supply pertinent information for completion of the EPA Form R report.

3.7 CTCS

Chemical Tracking and Control Systems is a group within the AQCTD of the Environmental Management Department that oversees the real-time tracking of chemicals at RFP. The group is also responsible for completing Superfund Amendments and Reauthorization Act Title III reporting for that Act's Section 312 and 313.

3.8 DOE, RFO

Department of Energy, Rocky Flats Office.

3.9 DE MINIMUS

<u>De minimus</u> level is 1.0 percent concentration of a mixture of chemicals, or 0.1 percent if the chemical meets the Occupational Safety and Health Administration carcinogen standard.

3.10 EPA

Environmental Protection Agency.

PREPARATION OF EPA FORM R

EGEG ROCKY FLATS PLANT EMD ADMINISTRATIVE PROCEDURES MANUAL

Manual: Procedure No.: Page:

3-21000-ADM AQD.08, Rev 1 3 of 17

Category 1

Effective Date:

10/10/91 Organization: Environmental Management

3.11 EPA FORM R REPORT

EPA Form R report, the Toxic Chemical Release Inventory Reporting Form, is required by Section 313 of the Emergency Planning and Community Right-to-Know Act (Title III of the Superfund Amendments and Reauthorization Act of 1986), Public Law 99-499. A completed EPA Form R report must be submitted for each toxic chemical manufactured, processed, or otherwise used at each covered facility as prescribed in the reporting rule in 40 CFR Part 372.

3.12 INVENTORY MODULE

Inventory Module is a part of the inventory menu found on the main menu of the CCS database.

3.13 MSDS

Material Safety Data Sheet.

3.14 PEER REVIEW TEAM

The peer review team is comprised of people assigned to examine and comment on the adequacy of the EPA Form R report prior to its approval.

3.14.1 Citation

The location in the text to which the comment applies.

3.14.2 Comment

The reviewer's comments.

3.14.3 Disposition

CTCS's response to the comment.

3.15 PROCESS ID

Process ID numbers have been assigned to each process that occurs at RFP by EG&G and its subcontractors. The number consists of the building number and a numerical suffix assigned to a given process within the building.

EGGG ROCKY FLATS PLANT

EMD ADMINISTRATIVE

PROCEDURES MANUAL

Page:

Effective Date:

Category 1

Manual:

3-21000-ADM

AQD.08, Rev 1

Page:

4 of 17

Effective Date:

10/10/91

Organisation: Environmental Management

3.16 RELEASE INVENTORY WORKSHEET

The Release Inventory Worksheet documents all information gathered for the EPA Form R report.

3.17 REPORTABLE CHEMICAL

A reportable chemical is a Section 313 toxic chemical used in excess of 10,000 pounds or a <u>de minimus</u> quantity as designated in the "EPA Toxic Chemical Release Inventory Reporting Form R and Instructions" that must be reported on an EPA Form R report.

3.18 RFP

Rocky Flats Plant.

3.19 <u>SARA</u>

Superfund Amendments and Reauthorization Act.

3.20 SECTION 313 TOXIC CHEMICALS

Section 313 toxic chemicals are those chemicals that are subject to EPA Form R reporting.

3.21 TRIS

Toxic Chemical Release Inventory System (TRIS) is the EPAissued magnetic media form of the EPA Form R report.

4.0 RESPONSIBILITIES

4.1 CTCS

The CTCS group is responsible for implementing this procedure and for preparing the Form R reports each year.

4.2 Peer Review Team

The peer review team members are responsible for verifying the contents of the Form R report with documented review comments submitted to CTCS.

EG&G ROCKY FLATS PLANT EMD ADMINISTRATIVE PROCEDURES MANUAL Manual: Procedure No.: Page: 3-21000-ADM AQD.08, Rev 1 5 of 17

Category 1

Effective Date:

10/10/91

Organization: Environmental Management

5.0 PROCEDURE

NOTE

This procedure assumes the accurate and timely entry of chemical tracking information into the CCS database. If this database is not available or current, contact the CTCS Manager for direction in obtaining the required information.

5.1 Select Chemicals for EPA Form R

- 5.1.1 Query Inventory Module for Section 313 Toxic Chemicals in March to obtain a printout of the amounts of these materials used in the previous calendar year.
- 5.1.2 Add quantities of like chemicals reported as used during the previous calendar year.
- 5.1.3 Designate reportable chemicals based on the "EPA Toxic Chemical Release Inventory Reporting Form R and Instructions."

5.2 Crosscheck CCS Database Information

NOTE

The Inventory Module records the person who received the chemical in various locations. In addition, CTCS personnel have contacts from whom individual building referrals can be obtained.

5.2.1 Identify contact person(s) for location(s) of each chemical.

NOTE

A Release Inventory Worksheet for each reportable chemical shall contain information as specified in Section 5.2.2.

EGEG ROCKY FLATS PLANT

EMD ADMINISTRATIVE

PROCEDURES MANUAL

Page:

Effective Date:

Category 1

Manual:

3-21000-ADM

AQD.08, Rev 1

Effective Date:

10/10/91

Corganization: Environmental Management

5.2.2 Verify chemical use.

- 5.2.2.1 Verify amount used of the reportable chemical by calling the contacts referenced in Section 5.2.1 of this document. Note the contact's name, department, telephone number, and the and the date contacted, on the inventory worksheet.
- 5.2.2.2 Identify the process in which the chemical is required under Section 313 requirements discussed in "EPA Toxic Chemical Release Inventory Reporting Form R and Instructions." Document the process name, location, and emission information on the Release Inventory Worksheet.
- 5.2.2.3 Sign and date the Release Inventory Worksheet.

5.3 Crosscheck Usage Information

- 5.3.1 Verify the efficiency and stack release information with the APEN reports, and document this on the analysis.
- 5.3.2 Equate chemical use to the Waste Stream Identification and Characterization Reports prepared for buildings by a Waste Programs contractor, and document this on the analysis.
- 5.3.3 If the system does not balance, contact appropriate sources to verify information (see Release Inventory Worksheet) and/or seek additional assistance from the CTCS Manager. Document resolution of any discrepancies on the analysis.
- 5.3.4 Sign and date the analysis.

EG&G ROCKY FLATS PLANT END ADMINISTRATIVE PROCEDURES MANUAL Manual: Procedure No.: Page: 3-21000-ADX AQD.08, Rev 1 7 of 17

Category 1

Effective Date: 10/10/91 Organization: Environmental Management

5.4 Prepare Draft EPA Form R

NOTE

The first and second page of each EPA Form R report are to be identical for a single facility as per the Form R instructions.

- 5.4.1 Complete the first and second page of the EPA Form R report as directed per the "Toxic Chemical Release Inventory Reporting Form R and Instructions."
- 5.4.2 Use neat, readable copies as cover sheets for all the EPA Form R reports.

NOTE

Each reportable chemical has an EPA Form R report.

5.4.3 Complete pages three through five of the EPA Form R report for each reportable chemical as directed by the "Toxic Chemical Release Inventory Reporting Form R and Instructions."

5.5 CTCS Internal Review

- 5.5.1 Make a copy of the documents from steps 5.2.2.3, 5.3.4, and 5.4.3 and have them verified by the CTCS Manager.
- 5.5.2 Revise the documentation as necessary (repeating steps 5.1 to 5.4, as needed).
- 5.5.3 Once the documentation is verified, have the CTCS Manager sign and date the copy of this form verifying concurrence.

5.6 EPA Form R Peer Review

- 5.6.1 Submit Release Inventory Worksheets and draft EPA Form R reports by May 31 of each year to the Environmental and Waste Management peer review team described below:
 - a. Environmental Management AQCTD, CTCS

EGEG ROCKY PLATS PLANT	Manual:	3-21000-ADM
EMD ADMINISTRATIVE	Procedure No.:	AQD.08, Rev 1
PROCEDURES MANUAL	Page:	8 of 17
	Effective Date:	10/10/91
Category 1	Organisation: Environ	mental Management

- b. Environmental Management AQCTD, Clean Air Act
- c. Waste Operations Liquid Waste
- d. Waste Operations Permitting and Compliance
- e. DOE, RFO Waste Management and Environment Division
- 5.6.2 Written citations and comments per the EMD Administrative Procedures Manual's "Document Review" procedure (3-21000-ADM-05.05) should be returned to CTCS within 2 weeks.

NOTE

Steps 5.7 and 5.8 should take a total of 1 week to complete.

5.7 <u>Incorporation of Comments</u>

- 5.7.1 Resolve citations and comments generated in Section 5.6. Call contacts specified in Section 5.2.1 of this document, to support disposition as necessary.
- 5.7.2 Document contact's reply and resolution on the document review sheets per 3-21000-ADM-05.05.

5.8 Final EPA Form R Reports

NOTE

EPA requests that the Form R report be submitted to them on magnetic media. The State of Colorado requests submittals in hard copy form.

- 5.8.1 Revise documentation as necessary. Repeat applicable portions of Section 5.4 to 5.7 of this procedure making the corrections indicated in Section 5.7 of this procedure.
- 5.8.2 Prepare an EPA Form R. This may be done using the TRIS Report software. Guidance for using this software is contained in Attachment 3.

EGEG ROCKY FLATS PLANT	Manual:	3-21000-ADK
EMD ADMINISTRATIVE	Procedure No.:	AQD.08, Rev 1
PROCEDURES MANUAL	Page:	9 of 17
	Effective Date:	10/10/91
Category 1	Organization: Environm	ental Management

- 5.8.3 Make a copy of the EPA Form R and have it verified against the input data by the CTCS Manager.
- 5.8.4 Revise the EPA Form R as necessary (repeating steps 5.8.2 to 5.8.3, as needed). The CTCS Manager shall resolve any disputes.
- 5.8.5 Once the EPA Form R is verified, have the CTCS Manager sign and date a copy of this form verifying concurrence.
- 5.8.6 Prepare a transmittal draft memo per the direction of the CTCS.
- 5.8.7 Prepare a history package for this EPA Form R containing the documentation referenced in steps 5.5.5, 5.7.2, and 5.8.5 and then submit this history package to the CTCS Manager for transmission to the EMD records center, per 3-21000-ADM-17.01, Records Management.
- 5.8.8 Submit the draft memo and EPA Form R to the CTCS Manager for transmittal.

5.9 EPA Form R Submittal to DOE, RFO

Submit EPA Form R reports to DOE, RFO no later than June 17 of the current year. Form R reports are due to the EPA and the Colorado Department of Health by July 1 of each year.

6.0 REFERENCES

- 6.1 <u>Toxic Chemical Release Inventory Reporting Form R and Instructions</u>, EPA 560, United States Environmental Protection Agency, Washington D. C.
- 6.2 <u>Toxic Chemical Release Inventory Disk and Instructions</u>, United States Environmental Protection Agency, Washington D. C.
- 6.3 <u>EMD Administrative Procedures Manual</u>, 3-21000-ADM-05.05, "Document Review," Rocky Flats Plant, Golden, Colorado.
- 6.4 EMD Administrative Procedures Manual, 3-21000-ADM-17.01, "Records Management," Rocky Flats Plant, Golden, Colorado.

EGEG ROCKY FLATS PLANT EMD ADMINISTRATIVE PROCEDURES MANUAL Manual: Procedure No.: Page: 3-21000-ADM AQD.08, Rev 1 10 of 17

Effective Date:

10/10/91

Category 1

Organization: Environmental Management

7.0 ATTACHMENTS

- 1. EPA Form R report
- 2. Sample Release Inventory Worksheet
- 3. Guidance for Preparation of the TRIS Report

EG&G ROCKY FLATS PLANT EMD ADMINISTRATIVE

PROCEDURES MANUAL

Manual: Procedure No.: Page:

3-21000-ADM AQD.08, Rev 1 11 of 17 10/10/91

Category 1

Effective Date:

Organization: Environmental Management

ATTACHMENT 1 EPA Form R Report

									2.		-22	ee 248	~3	
	7 ==	15 85	nr read nsi	PUCHA	85 helase	300 mia					ADI	rova Em	-	
8	EPA TOXIC C	S EA	wenmental Pi CAL RELE/ Emergency Pi II of the Supe PART FACIL IDENTIFIC INFORMA	ASE II	NVENTO	RY REF	OR 1-19-	TING Know Izanon	Act of Act	1986				Page 2 way to be a proper of the page of
. 1	1 1 Are yes	Harmed .	-	with au	opo 3 vaco s	***	1	2 #	Y00 1/	1.1	10 17110			3 Asserting Year
1	[] <u>X</u> ee	(Argust	exection 1 2 and align faring		No 1Do not a Ga 10 martin			[] 8000	 []	******		19
-	GETTINY THAT I NO	-	d and sign at west he attached and values in the		pieting at a mis and fret are equirate t	10 Pro 2001		, transiti		-79	1 100 1 010 011			81107 -2 1740 AFE 88707 OF THE TOPON
Serelu										104	10 1-91			
	Au 18						,—			_				
	CILITY IDEN						j							TED FORMS
3 1	Birasi Assrace				Carty		1 EPCRA REPORTING CENTER P O BOX 23779 WASHINGTON DC 20028-3779							
L	Biano	-			Zo Codo		ATTN TOXIC CHEMICAL RELEASE INVENTORY							
ļ	TRI FASHIY 1888	*****	Number		L.,		2 APPROPRIATE STATE OFFICE (See instructions in Appendix G)							
32			meson for (One	9H 6747 C	• []	~ emme %	Delity		a [1 0/ 0			
33	Teenmeat Certa	en 						,		Tous				#*** *****
3.4	Name Contact		,		_									6*04 (MAD)
36	HC Case 14 aug	4)	•								•	-		
3 6	Dogra	••	Minuse		Basses .			Dee	***		***	/101		8
3 7	on & Braderies													
3 .	8 EPA contrication featurer(a) (RCRA LD Feb.)					•								
3 9														
•	Receiving Streams or Water Seases (error and name ser sen)			,										
3 10 <u>s</u>	s													
		suen we	u Cada (UIC) ter	numeeus	yn Austrau (6)		<u>'</u>		-,					
3 11							•			-	_			
~	RENT COMI	CONTO	NFORMATIC	N	_	-	4.5	Perer	: Come	1 YO	0vn 4	b rasswest	N-	*
11	- 6160-1 /	Arr. Lad	11)				4 2	1						

EGEG ROCKY FLATS PLANT EMD ADMINISTRATIVE PROCEDURES MANUAL

Manual: Procedure No.: Page:

3-21000-ADN AQD.08, Rev 1 12 of 17

Category 1

Effective Date:

10/10/91

Organisation: Environmental Management

ATTACHMENT 1 (Continued) EPA Form R Report

(Important Type or State 1488	Important Type or print read instructions before completing form) Page 2 of 5							
EPA FORM R EPA FORM R PART II OFF-SITE LOCATIONS TO WHICH TOXIC CHEMICALS ARE TRANSPERRED IN WASTES								
1 PUBLICLY OWNED TREATMENT WORKS (POTWs)								
1 1 POTW name		1.8 POTW name						
Street Address		SVIN ASPEN						
City	County	City						
Siate	2.6	State	20					
2 OTHER OFF-SITE LOCATION	B 100 NOT REPORT LOCATIONS	TO WHICH WASTES ARE SONT ONLY FOR	MOYOLING OR ROUSE)					
2 1 Oll-eite leestien name		2.2 Off-site teestien name-						
EMA Identification Political (ROPLA & Fox.)		PA Gentification Number (AGNA 6 No.)						
Birtist Address		Sven Adress						
Cay	Courty	City	Courty					
State	Zip .	State	20					
	or service democraty?	is toosands wheter destroy of forestury toolsty	er parent correctly?					
	[]~~ []~		[]va []m					
	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		() 744 () 744					
2.3 Off-one location name		3.4 Off-elle legation name-	(), (),					
2.3 Off-oite teaction name PA continuous famour (FDA & Fa.)		2 4 Off-ette lessition name	()/40 ()/40					
PA CONTRACTOR NAMES PORA 5 No.)		PA qualification fourteen (FIGNA Q. 10.)						
PA CONTRACTOR PARA S FEL.)		D'A qualification factories (AGAA Q. 142.)	On V					
Brief Address Direct Address Direct Address	Downy Zo or contract constant/1	S'A qualification factors' (ROMA Q. 16a.) Street Actives City	25 25					
Bhas deliver colors of reporting figurity	County Es	SPA quantification fourness (MSAA (C. 146.)) Street Andreet City State In Edition under constra of Agentus States						
Brust Address Gity Brass b masters over covers of reporting facility 2 & Off-skie location facility	Downy Zo or contract constant/1	Bra combination factors (RCNA Q. 10.) Breat Address City Class B source over covers of regarding balling 2 8 CHI-oldy Industrial regimes	25 25					
BA servingson regree (RSA D AL.) Brest Address City Busic Is maked dead control of reporting facility 2.5 Off-citie isocation name PA continuous regree (RSA D. No.)	Downy Zo or contract constant/1	STA quantification fauncies' (RGAA (C. 146.)) Street Andrees City State 1 E Off-citie localities name— STA quantification fearning (RGAA (C. Next)	25 25					
Brust Address Gity Brass b masters over covers of reporting facility 2 & Off-skie location facility	Downy Zo or contract constant/1	Bra combination factors (AGAA C. Inc.) Brest Address City Brass Committee or control of recovery billion 2 8 CRI-citic location name— Sha control or control of recovery billion Brass Address Brass Address Brass Address	[] vos [] to					
BA servingson regree (RSA D AL.) Brest Address City Busic Is maked dead control of reporting facility 2.5 Off-citie isocation name PA continuous regree (RSA D. No.)	Downy Zo or contract constant/1	STA quantification faunties' (RGAA (C. 146.)) Street Andrees City State 2 8 Off-citie localities name— STA quantification fearures' (RGAA (C. 146.)) Street Andrees City	[] vos [] to					
Sha constitues former (ASAA S. As.) Street Address City State E mainten white control of reporting family 2 E Officials location mainte Sha constitues formats (ASAA S. No.) Street Address City	County ZD or parting company? [] Yes [] No.	Bruce Address Grey Brace D Company Brace Bra	[] vos [] to					
Shares Address City State It makes with control of againing lightly It is DHI-site leastless makes Sharest Address City City	County 20 Or control company? [] Yes [] No. County Zio	Bruce Address Grey Blace In Control of regions believe the service of regions believe to the service of regions believe the service of regions believe the service of th						
Share Address City Share Is installed acception making facility Share Share Share Share Share Share City Share Share Share Share Share Share Share Share	County County	Bruce Address Grey Blace In Control of regions believe the service of regions believe to the service of regions believe the service of regions believe the service of th	[] von [] no					

EPA Form 9300-1 (Rev.1-01) - Provious editions are electric

EGEG ROCKY FLATS PLANT EMD ADMINISTRATIVE

PROCEDURES MANUAL

Manual: Procedure No.: Page:

3-21000-ADX AQD.08, Rev 1 13 of 17 10/10/91

Category 1

Effective Date:

Organization: Environmental Management

ATTACHMENT 1 (Continued) EPA Form R Report

		before completing for	", '		Page 3 of 5				
&EPA PART III C	_	PA FORM R AL-SPECIFIC INFORI	MATION	(This space for	yeur epinenes use (
1 CHEMICAL IDENTITY (Do not comple	10 1746 90	ection if you complete S	equen 2)						
1 1 [Reserved]									
1 2 CAS Number (Siner any ene number es				and acceptably)					
1 3 Chemical or Chemical Category Nar									
1 4 Generic Chemical Name (Companie en	y of Pert I.	Section 1 1 is presented. Yes	i. Governo Aumo musi d	• •••••••	Into 1				
MIXTURE COMPONENT IDENTIT									
2 General Chamisal Name Provided by Suppli	or (Lates 9	he name to a maximum of 76		rs, where teams t	Windston:)				
3 ACTIVITIES AND USES OF THE CHI	MICAL								
a [] Produc	•	If produce or impor c [] for on-on c [] use/proce	۱. •	For sale/					
b [] Import		e As a byen	oduat 1 (As an Impurity	,				
3 2 Process the a As a re		b [] As a form	uation e	As an article					
3 3 Otherwise use a] As a er	reging on remisel sing act	, ,	denump ald a	Anothery or or	her use				
				N					
4 MAXIMUM AMOUNT OF THE CHE	4 MAXIMUM AMOUNT OF THE CHEMICAL ON-SITE AT ANY TIME DURING THE CALENDAR YEAR								
1 [] 1									
(enter code)									
s. RELEASES OF THE CHEMICAL TO T	HE ENV	VIRONMENT ON-SITE							
S. RELEASES OF THE CHEMICAL TO		A Total A (pounds	010000 /year1	B Basis of Bostonson	C & From Stormmoner				
		A Total R (pounds) A 1 Reparting Ranges	otease /year) A 2 Erner	Sources					
S. RELEASES OF THE CHEMICAL TO	1	A Total A (pounds Reparting Ranges 1-10 11-000 500-000	otease /year) A 2 Erner	B Seeks of Esternation					
S. RELEASES OF THE CHEMICAL TO T You may report releases of less than 1 000 seums by enesting ranges under A (De not use both A 1 and A 2)	1	A Total A (pounds to the total A (pounds to t	otease /year) A 2 Erner	(emer code)					
S. RELEASES OF THE CHEMICAL TO THE	1 6 1a	A Total A (pounds) Researchy Renges Ling 11-dep 800-des [] [] []	otease /year) A 2 Erner	(enter each)					
You may report releases of less than 1 000 source by encoung ranges when A 1 and A 2) 5 1 Pugitive or non-point air emissions 5 2 Stack or point air emissions 5 3 Discharges to receiving 5 3 1	6 1a	A Total A (pounds) Repairing Nariges to 11-ets 200-ets [] [] [] [] [] [] []	otease /year) A 2 Erner	(orner ecco) 8 10 6.50-	Sterminator				
You may report releases of less than 1 000 source by encourag ranges under A (De not use both A 1 and A 2) 5 1 Pugitive or non-point air emissions 5 2 Stack or point air emissions 5 3 Discharges to recording 3 3 1	6 1a 6 2a 6 3 1a	Total A	otease /year) A 2 Erner	(oner each) 6 %	\$ 10 %				
You may report releases of less than 1 000 seums by encourag ranges when A 1 000 seums by encourag ranges when A 1 000 seums both A 1 and A 2) 5.1 Pugitive or non-point air emissions 5.2 Stack or point air emissions 5.3 Discharges to receiving streams or water bedies \$ 3.1 (Streams or water bedies \$ 3.1 (Streams or water bedies \$ 3.2 (Streams or water bedies \$ 3.2 (Streams or water seed to \$	6 1a 6 3a 6 3 1a 6 3 2a	A Total A (pounds) Reparting harges	otease /year) A 2 Erner		\$10 m				
S. RELEASES OF THE CHEMICAL TO 1 You may report releases of less than 1 000 bounds by cheesing ranges under A (De not use both A 1 and A 2) S.1 Pugitive or non-point air emissions S.2 Stack or point air emissions S.3 Discharges to receiving s.3.1 Section 3.10 for presents in the tangent of the previous of the previous in the tangent of the previous S.3 3 S.4 Underground Injection S.5 Releases to land	6 1a 6 2a 6 3 1a 6 3 2a 6 3 3a 6 4a	Total A	otease /year) A 2 Erner	(comp code)	\$10 m				
You may report releases of less than 1 000 source by encourse of less than 1 000 source by encourse ranges under A (De not use both A 1 and A 2). 5.1 Pugitive or non-point oir emissions. 5.2 Stack or point oir emissions. 5.3 Discharges to resolving streams or water bedies \$3.1	6 1a 6 2a 6 3 1a 6 3 2a 6 3 2a 6 4a 8 6 1a	Total A (seconds) Reperting Parages Parag	otease /year) A 2 Erner		\$10 m				
S. RELEASES OF THE CHEMICAL TO 1 You may report releases of less than 1 000 bounds by cheesing ranges under A (De not use both A 1 and A 2) S.1 Pugitive or non-point air emissions S.2 Stack or point air emissions S.3 Discharges to receiving s.3.1 Section 3.10 for presents in the tangent of the previous of the previous in the tangent of the previous S.3 3 S.4 Underground Injection S.5 Releases to land	6 1a 6 2a 6 3 1a 6 3 2a 6 3 3a 6 4a	Total A (seconds) Reperting Parages Parag	otease /year) A 2 Erner		\$10 m				
You may report releases of less than 1 000 source by encourse of less than 1 000 source by encourse ranges under A (De not use both A 1 and A 2). 5.1 Pugitive or non-point oir emissions. 5.2 Stack or point oir emissions. 5.3 Discharges to resolving streams or water bedies \$3.1	6 1a 6 2a 6 3 1a 6 3 2a 6 3 2a 6 4a 8 6 1a	Total A	otease /year) A 2 Erner		\$10 m				
You may report releases of less than 1 000 source by encourage ranges where A 1 bet a 1 and A 2) 5.1 Pugitive or non-point air emissions 5.2 Stack or point air emissions 5.3 Discharges to receiving streams or water bedies \$ 3.1 (See note case ten for 1 Seems 3.10 for presents) in \$ 5.2 5.4 Underground injection 5.5 Releases to land 5.5.2 Land treament/agentsette forming	6 1a 6 2a 6 3 2a 6 3 3a 6 4a 6 5 5 2a		otease /year) A 2 Erner		\$10 m				

EPA Form \$350-1 (Rev 1-81) - Provious editions are essente

EGEG ROCKY FLATS PLANT EMD ADMINISTRATIVE

PROCEDURES MANUAL

Category 1

Manual:

Procedure No.:

Page:

Effective Date:

3-21000-ADK

AQD.08, Rev 1 14 of 17

10/10/91

Organization: Environmental Management

ATTACHMENT 1 (Continued) EPA Form R Report

Important Type	or print read i	nstructions before	completing for	m)_				Page 4 of 5
⊕ EPA	PART III	EPA PORR CHEMICAL-SPEC (continue	OFIC INFORM	ATION		(This spec	e for you	eptional use)
S. TRANSPERS OF THE CHEMICAL IN WASTE TO OFF-SITE LOCATIONS								
You may report to of less than 1 000 sheeting ranges u	renefors	A Tetal	Transfers unde/yr)		B Boots (f Estimate	C Type	of Treatment/ Disposal
net use beth A 1	and A 2)	A 1 Reporting Range 1-10 11-409 (set	e _ En	2 mer mete	terner	eede)		nter eede)
Dissource to it is a second of the second of		1[1[]	1		0 1 16			
0 2 1 hom Part 1	2 2	1111	1		6 2 16		8 2 10	M
6 2 2 mm Part 1 8	Transfer , 2	1111	1		1220		6 2 20	M
Other effection (Control of the Control (Control of the Control of	1000 p. [2]		1		1230		6 2 30	M
[](Check if a	satuenal Informatio	n is provided on Pari		al Information	m)			
		DS AND EFFICIENC		/ ###//				
		ik if no on-one treet pary	ment to applied t	• 677 WEST	streem e	entailing th		
A General Wastestream	B Treatment Method (onter code	Influer	of D Services	recorder recorder 7 lineat if refeable)	E Tre	eument sieney imaie	7 6	acce on persong late? You No
	10	7 10	7 14	ſ 1	7 10		7 11	1111
7 20 7	250	7 20	7 24	1 1	7 20		7 21	
7 34 7	• 1	7 30	734	f 1	7 30	•	7 34	1111
7 44 7	• 🕕	740	7 44	[]	7 40	•	7 44	
7 54 7	• 💷	7 60	7 84	[]	7 50	•	7 81	[][]
7 84 7	• 🗆	7 60	7 94	1	7 60	*	7 OC	[][]
7 70 7	n	- 770	7 74	[]	7 70	•	7 71	[][]
7 84 7	• 💷	7 80	7 84	[]	7 80	•	7 01	
7 94 7	· III	7 80	7 %	[]	7 50	*	7 94	
7 104 7	100	7 100	7 104	[]	7 100	•	7 101	[][]
[](Cheek if or	iditional Informatio	n is provided on Part	N-Supplements	i informatio	in)			
& POLLUTION	PREVENTION: O	PTIONAL INFORM	ATION ON WA	STE MININ	MOTASIN	See Pe		ne for easier
A Type of Medification	B Quantity of Prior to Tre	the amount of the of information to include the Chemical in War extremt or Disposal	tos		-	inden.		en for Action for code)
(error code)	Current	Prior I	Or person (Cheek (+	t ohange	+			
M	reporting year (pounds/year	yeer I	Crises: (+) er (-)) %				(A)

EPA Form 8350-1 (Rev 1-01) - Provious aditions are absolute

EGEG ROCKY FLATS PLANT END ADMINISTRATIVE PROCEDURES MANUAL Manual: Procedure No.: Page: 3-21000-ADM AQD.08, Rev 1 15 of 17 10/10/91

Category 1

Effective Date:

Organisation: Environmental Management

ATTACHMENT 1 (Continued) EPA Form R Report

(Important Type or print read	INSTRUCTIONS &	efore com	pleting form)			Page 5 or 5	
SPA FORM R SPA FORM R PART IV SUPPLEMENTAL SPORMATION Like the section if you need additional space for province to questions in Part III Number the direct uses consuminary from these in prior sections to 6 - 8 2 4 8 1 2 7 11)								
ADDITIONAL INFORMATION OF	i releases o	FTHE CH	EMICAL TO	THE EN	/IRONMENT	ON-SITE		
		B. Basto o	C % From					
You may report releases of less the 1 000 pounds by engaging ranges of (De not use both A 1 and A 2)	You may report releases of less than 1 000 pounds by sheeking ranges under A 1 (De not use both A 1 and A 2)				neor proces	(anter eace to bear (critical)		
5 3 Discharges to receiving streams or water bedies		111][]			<u>ا ب ر</u>	11_0	
See an arrest	<u> </u> -	1 []][]			8.3 <u> </u>	J.,	
£.1.		11.1	1.[1				113	
ADDITIONAL INFORMATION OR	TRANSPERS (OF THE C	TEMICAL IN	WASTE	TO OFF-OIT	E LOGATIC	NS .	
	A.	Total Trans (paunds/yr	100		, j:::	6	ype of Treatment/ Disposal	
Visu may report transfer of feet than 1 500 persons by-cheeks ranges under A 1 (De not use both A 1 and A.2)	Noserang A	07900 D 800-000	e A2				(enter code in best provided)	
		1 []	_		01_0			
··_:::::::::::::::::::::::::::::::::::][][][]	•		0.2(_•MI	
][][1[]			0 20		M.	
][][][]			01	□ 0.2	_•MI	
ADDITIONAL INFORMATION OF	WASTE TREA	THENT M	THOOS AN	O CPPIC		II. Cooks		
A Comercia B. Treatment Method (enter each-) (enter each-) in best erested!		man of Raint Mark man	Treat	TO THE PERSON NAMED IN COLUMN TO THE			P Boose on Courseling Course Van No	
, , ,	7	<u>-• </u>	70[]	7	9-7_	_/[][]	
,_,	7	<u>-• 🗆</u>	7_0[1	, .	4 7_	_1][]	
,,,] /_	<u>-• 🗖</u>	74[1	7•-	47_	-1 11 1	
· · _ · ·	7_	<u>-• 🗖</u>	70[11	70,	47_	_/[][]	
'	7_	<u>. </u>	71	il	70-	9-7_	-/[][]	
'	7_	<u> </u>	70[1	70-	47_	_/[][]	
·• [] ·• []	7_	. 🗖	70[1	,•	4 7	<u>- () () (</u>	
,,,	7 7	<u>. </u>	7_4	+	<u> </u>	9.7	- () ()	
,,	, ,	<u>. </u>	7_4	 +	 -	10 7	-1111	

EPA Perm \$388-1 (Nev 1-01) - Province editors are execute

EG&G ROCKY FLATS PLANT EMD ADMINISTRATIVE PROCEDURES MANUAL Manual: Procedure No.: Page: 3-21000-ADM AQD.08, Rev 1 16 of 17 10/10/91

Category 1

Effective Date: 10/10/91 Organization: Environmental Management

ATTACHMENT 2 Sample Release Inventory Worksheet

EPA FORM R RELEASE INVENTORY WORKSHEET

CHEMICAL		 	COMMENTS
Process ID/Names		 	
Total Usage Quant	ity		
Process Locations	<u> </u>		
Process emission is			
Contact person's	•	 	
name	department	 	
2			
4			
5		 	
4			
7		 	
8		 	
^			
10			
11			

^{*}Number comments with the contact person's number

EGEG ROCKY FLATS PLANT

EMD ADMINISTRATIVE

Procedure No.:

Page:

Effective Date:

Category 1

Manual:

3-21000-ADM

AQD.08, Rev 1

Page:

17 of 17

Effective Date:

10/10/91

ATTACHMENT 3 Guidance For Preparation of the TRIS Report

- 1. Load the TRIS Report onto the CTCS's IBM or compatible computer.
- 2. Configure TRIS Report to conform with the computer being used.
- 3. Enter the EPA Form R report information documented in Section 5.7.1 of this procedure per the directions accompanying the TRIS diskette.
- 4. Generate the EPA Form R reports.
- 5. Print EPA Form R reports.
- 6. Compare printed TRIS report with the report generated from Section 5.8.1 of this procedure and make necessary corrections.
- 7. Copy the necessary files from the TRIS Report to a diskette.
- 8. Label the magnetic diskette as per the directions accompanying the TRIS diskette.
- 9. Generate a certification cover letter to be signed by the official listed in Section 2 of Part I of the EPA Form R reports as per the directions accompanying the TRIS diskette.